



osaka® arctic® vibe® dapple® tiltnturn® origin® balance collection® rainfall® alaska®

contents

the eco₂matters ® sustainability principle	03
our heritage	03

osaka ®	04
arctic ®	08
dapple ®	12
vibe ®	16
tiltnturn ®	20
origin ®	24
balance collection ®	28
rainfall ®	34
alaska ®	38



osaka® arashi

our sustainability goals

We are committed to achieving Net Zero through the continual removal of carbon from our products and processes.


We believe that what we do matters, that the ecology of our planet matters, and that **eco₂matters®**

We value our people, our customers, and our partners. This drives our approach to social values & well-being.



our heritage

Originally established in the UK in 1917 as J&F Burrows, we have been recycling for over 100 years. We began by recycling wool and cotton textile waste for resale to the textile industry, for use in the manufacturer of clothing.



Established in 1917 as J&F Burrows, in West Yorkshire, UK



We recycled textile waste for resale and eventually used it to make our own carpet tiles

With the advent of synthetic fibres, we quickly adapted to also recycle synthetic waste, eventually focusing solely on the recycling of nylon and polypropylene.

With the development of a new type of carpet, needlefelt (now called fibre bonded), we saw an opportunity to use this recycled material to produce our own finished products.

The Burmatex® brand was created in 1967. For over 50 years, the careful selection, reprocessing and recycling of industrial synthetic waste has enabled us to produce sustainable products.

Today Burmatex® manufactures a much broader range of products, including designer loop and low level loop nylon carpet tiles.

Still the fundamental principles of recycling and reuse remain at the core of our operation, and form the foundations of the **eco₂matters®** sustainability principles.




osaka®



osaka® mochi

osaka® is an all over pattern inspired by an incredibly vibrant, futuristic, and traditional part of the world, Japan. The contrasts found in Japan inspire the range; new and old, warm and cool, urban and natural.

Made from Universal Fibers® Thrive® matter yarn, the **world's first carbon negative recycled** yarn, and our unique **ecōmatters® BioBase™ recycled** backing, **osaka®** is **carbon neutral**.





osaka® chiru, kori & sora

Initially inspired by a map of **osaka**® the carpet tile design is geometric yet organic, reminiscent of folded paper origami. Whether looking down on the busy metropolitan streets or up at the forest canopies, you can see the pattern of **osaka**® appear in both city and natural settings.

The refreshed palette of 12 includes trend inspired luminous pastels (gingko, chiru, kawa) a bright and joyful red (hanabi), two fresh and calming blues (kori and sora) and a new pure warm (hikari). The range maintains its set of popular core greys and beige; mochi, arashi, sesame and sumi.

The abstract nature of the design, teamed with the revived colour palette, allows it to be both soft and strong, expertly working with modern interior spaces.



osaka' kawa & kumo

Pile Yarn Weight: 695g/m2


Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: Universal Fibers® Thrive® matter
carbon negative recycled yarn (nylon 6)

colour bank

- 01 - hikari
- 02 - mochi
- 03 - sesame
- 04 - arashi
- 05 - kumo
- 06 - sumi
- 07 - sora
- 08 - kori
- 09 - kawa
- 10 - chiru
- 11 - gingko
- 12 - hanabi



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

arctic® tiles



arctic® is inspired by the changing landscape of the Arctic region. Organic lines cutting through icy rock, cold water flowing down frozen mountains and glacial river rapids inspire the movement in the design.

Made from Universal Fibers® Thrive® matter yarn, the **world's first carbon negative recycled** yarn, and our unique **eco2matters® BioBase™ recycled** backing, **arctic®** is **carbon neutral**.



colour bank

- 01 - glacial grey
- 02 - norse grey
- 03 - cool storm
- 04 - polar black
- 05 - coastal mist
- 06 - marine ravine
- 07 - blue water
- 08 - moonrise blue
- 09 - oslo fog
- 10 - ice blue
- 11 - hail stone
- 12 - seal grey


Pile Yarn Weight: 624g/m2

Luxury Rating Class: LC1

Wear Classification: Class 33

Yarn: Universal Fibers® Thrive®

matter **carbon negative recycled**
yarn (nylon 6)



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

arctic® planks



arctic® plank glacial grey & norse grey

The colour palette consists of 12 colours inspired by the natural elements of the Arctic – ice blues and cool greys amongst soft subtle warms, with marine-like green tones to further enhance the collection.

arctic® is available in both tile and plank, allowing you the freedom to express **arctic®** in either option, creating unique structures and patterns to suit your project.



dapple®



dapple® cool breeze & silver gleam

The colour in **dapple®** comes and goes, as light would dip in and out in a forest. This, paired with the organic pattern of the design, gives **dapple®** a unique biophilic feel. The large scale irregular design makes **dapple®** perfect for open plan spaces, lobbies, reception areas, boardrooms or anywhere you want to bring the outside in.

Made from Universal Fibers® Thrive® matter yarn, the **world's first carbon negative recycled** yarn, and our unique **eco2matters® BioBase™ recycled** backing, **dapple®** is **carbon neutral**.



dapple airy celadon





dapple® grey zephyr, cool breeze & golden hour



dapple® spring seed



dapple® grey zephyr & cool breeze

dapple® range comprises of 12 colours taking you from warm to watery, cool and pure. Each colour is taken from outdoor inspirations and environments.



dapple® inky shade & luminous blue

Pile Yarn Weight: 678g/m2

Luxury Rating Class: LC2


Wear Classification: Class 33

Yarn: Universal Fibers® Thrive® matter

carbon negative recycled yarn (nylon 6)

colour bank

- 01 - silver gleam
- 02 - cool breeze
- 03 - grey zephyr
- 04 - golden hour
- 05 - spring seed
- 06 - airy celadon
- 07 - luminous blue
- 08 - vivid navy
- 09 - midnight violet
- 10 - inky shade
- 11 - moonlit glow
- 12 - dark nimbus



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

vibe®



vibe® cotton canvas

A large scale statement design featuring a bold mesh grid. **vibe®** is inspired by torn netted structures with areas of strong pattern breaking away into sections of plain.


Whilst the grid is the main feature of the design, underneath are subtle broken shapes created from torn and folded papers. This building of layers within the design creates a luxurious, velvet like appearance.



vibe® golden slice



vibe® silver pearl



The palette of 12 colours provides core greys and neutrals as well as some vibrant colour-on-grey options with the grid pattern enhancing the colour. From pastel tones to bright highlight pops, it is suitable for all manner of interiors and installations.





vibe® after dark & minty mesh

Pile Yarn Weight: 774g/m²


Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% solution dyed nylon 6

colour bank

- 01 - after dark
- 02 - blue velvet
- 03 - cotton canvas
- 04 - crushed cord
- 05 - deep pistachio
- 06 - golden slice
- 07 - grey linen
- 08 - liquorice lace
- 09 - minty mesh
- 10 - satin sapphire
- 11 - silk white
- 12 - silver pearl



This floor covering was made with renewable electricity




Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

tiltnturn®


tiltnturn® silver pitch & sky tint

tiltnturn® is inspired by a fascination with how light reflects on and off angled surfaces, bringing life to solid colour. Pops of light and shade sit alongside harmonising mid tones. As the product is installed, new angles and shapes emerge alongside areas of quiet, creating a unique effect in each space. The overall effect is contemporary yet calm and unique.





The smooth transition from darker tones to lighter tones within **tiltnturn®** reflect the amazing effects of light and shadow which surround us every day. All colours work alone, or can be grouped together. Either option will complement other furniture and finishes within each project.



Pile Yarn Weight: 770g/m2


Luxury Rating Class: LC3

Wear Classification: Class 33

Yarn: 100% solution dyed nylon 6.6

colour bank

- 01 - silver pitch
- 02 - zinc facet
- 03 - grey horizon
- 04 - gold patina
- 05 - light angle
- 06 - sky tint
- 07 - blue facade
- 08 - coal layer
- 09 - clay screen
- 10 - metal edge
- 11 - green space
- 12 - ash profile



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1


origin®



origin® is a sophisticated and plush range, inspired by coastal walks and views. The cut pile range works as a stand-alone product as well as with the other carpet tiles in our multilevel loop pile collection..







The new colouration of **origin®** was inspired by coastal themes and forecasted colour trends. Organic and natural, the colour palette is usable, classic and clean.

Looking to the colour names chosen, you can clearly see the oceanic inspiration. Fresh and crisp surf, deep and dramatic wave, smooth pebble and atmospheric cloud, to name a few in the palette of 10.




origin® pearl with balance grade® warm frost & city clay

Pile Yarn Weight: 1300g/m2
Luxury Rating Class: LC5
Wear Classification: Class 33
Yarn: 100% Econyl® regenerated
recyclable solution dyed nylon 6

colour bank

- 01 - cloud
- 02 - pearl
- 03 - pebble
- 04 - shale
- 05 - mussel
- 06 - gull
- 07 - gorse
- 08 - surf
- 09 - wave
- 10 - heather



This floor covering was made
with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission
of volatile substances in indoor
air posing a toxic threat during
inhalation - on a scale from A+ (very
low-emission) to C (high-emission)



The Building
Information Foundation,
Finland. Certified
building materials with
low emission class M1

balance grade®



balance grade® is inspired by misty Chicago mornings where the dew is fresh from Lake Michigan. It is a soft and subtle design which leaves a calming effect across the floor.



Pile Yarn Weight: 628g/m2


Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% solution dyed nylon

colour bank

- 01 - steel tower
- 02 - warm frost
- 03 - concrete lead
- 04 - granite vapour
- 05 - city clay
- 06 - skylight beam
- 07 - harbour view
- 08 - urban nickel
- 09 - river dew
- 10 - sage vista
- 11 - twilight dawn
- 12 - navy shore



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

balance grid®




balance grid® river haze

balance grid® is inspired by the strong lines seen in high rise skyscrapers, shining and gleaming.

It is a classic yet contemporary design which works alone or paired with the other two designs in the balance collection: **balance grade®** and **balance ground®**.



balance grid® concrete core




balance grid® twilight fog



colour bank

- 01 - steel grey
- 02 - warm dusk
- 03 - concrete core
- 04 - granite mesh
- 05 - smoky clay
- 06 - skylight chrome
- 07 - harbour cloud
- 08 - black nickel
- 09 - river haze
- 10 - sage glass
- 11 - twilight fog
- 12 - navy night



Pile Yarn Weight: 628g/m2

Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% solution dyed nylon



This floor covering was made with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1


balance ground®



balance ground® clay & skylight

balance ground® is inspired by the rough texture of sidewalks and pavements that run throughout the city of Chicago.


It is strong in tactile elements but soft in colour, designed to give your space some breathing room.



Pile Yarn Weight: 628g/m2
Luxury Rating Class: LC2
Wear Classification: Class 33
Yarn: 100% solution dyed nylon

colour bank

- 01 - steel
- 02 - warm
- 03 - concrete
- 04 - granite
- 05 - clay
- 06 - skylight
- 07 - harbour
- 08 - nickel
- 09 - river
- 10 - sage
- 11 - twilight
- 12 - navy



This floor covering was made with renewable electricity



Certificate Number FM01440
 BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)



The Building Information Foundation, Finland. Certified building materials with low emission class M1

rainfall®



As the name suggests, the patterns formed by rain drops inspired this soft and serene design.

With darker tones punctuating the surface of the pattern, **rainfall®** is layered and soft in texture while offering a varied and randomly placed aesthetic.







rainfall® shade & birch



rainfall® dark & air

Creating a calm effect once installed, this design is the perfect solution to create a peaceful office or retail environment.




rainfall® light

Pile Yarn Weight: 910g/m2
Luxury Rating Class: LC3
Wear Classification: Class 33
Yarn: 100% **Econyl® regenerated**
recyclable solution dyed nylon 6

colour bank

- 01 - light
- 02 - shade
- 03 - dark
- 04 - deep
- 05 - stone
- 06 - pave
- 07 - ground
- 08 - brick
- 09 - birch
- 10 - air
- 11 - bloom
- 12 - leaf



This floor covering was made with renewable electricity



Certificate Number FM01440
 BS EN ISO 9001:2015



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling - on a scale from A+ (very low-emission) to C (high-emission)




The Building Information Foundation, Finland. Certified building materials with low emission class M1

alaska®



Inspired by nature, **alaska®** is a textural design incorporating classic greys and warm neutral hues. **alaska®** was the first design to launch within the multilevel loop range.


Offering a practical yet calming interior design choice, **alaska®** is practical and contemporary. Reminiscent of ripples on a lake, layers of rock and formations of ice – that wouldn't be out of the place in the state that bears its name.






alaska® ridge

Global travel provides inspiration, education and aspiration for many of our ranges and **alaska®** is no different. With new experiences comes new influences taken from geography, geology, landscape and lifestyle. The textural finish of the product also works beautifully when used in deliberate contrast to some of our other ranges.



alaska® wolf, husky, spruce, valley & lake





Pile Yarn Weight: 800g/m²


Luxury Rating Class: LC2

Wear Classification: Class 33

Yarn: 100% **Econyl®** regenerated
recyclable solution dyed nylon 6

colour bank

- 01 - ice
- 02 - ridge
- 03 - point
- 04 - north
- 05 - moose
- 06 - anchor
- 07 - creek
- 08 - lake
- 09 - husky
- 10 - wolf
- 11 - valley
- 12 - spruce



This floor covering was made
with renewable electricity



Certificate Number FM01440
BS EN ISO 9001:2015



Statement on level of emission
of volatile substances in indoor
air posing a toxic threat during
inhaling - on a scale from A+ (very
low-emission) to C (high-emission)



The Building
Information Foundation,
Finland. Certified
building materials with
low emission class M1

We would like to thank the following:

Bond Bryan Architects
Leeds Building Society
TCQ Surveyors
Nottingham Trent University
British Embassy Romania
Royal College of Obstetricians and Gynaecologists
Sheffield Hallam University

for the images provided

KEEP IN TOUCH



Burmatex®
MANUFACTURERS OF CREATIVE FLOORING 

Burmatex Ltd

Victoria Mills, The Green,
Ossett, West Yorkshire
WF 0AN

tel: +44 (0) 1924 262 525
email: marketing@burmatex.co.uk

www.burmatex.co.uk