



Product Catalogue

carpet tiles, planks & sheet



carbon neutral & low carbon

threads® base mix & base pastel

Product Catalogue

Burmatex® offers an expansive product range; our traditional fibre bonded sheet and tile ranges include entrance products and ground-breaking structure bonded ranges, which present an expansive colour palette.

Our multilevel loop, low level loop, textured loop and cut pile tufted carpet tile ranges, including a specialist entrance barrier product, are inspired by the latest and predicted future design and colour trends.



Sustainability Principles

Burmatex® is committed to best environmental practice in our manufacturing, from the sourcing of raw materials, including recycled content, minimising emission of CO₂ and reprocessing waste, use of green electricity and recycled packaging.

Our products are EPD verified by an independent third-party verification of the declaration and data, according to ISO 14025:2006.



rocklines®

carbon neutral multilevel loop carpet tiles

Inspired by the markings seen in rockfaces, mountains and various terrains. An opulent and delicate design, available in 16 colours, influenced by weathered coastlines and geological diversities.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:



carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.38
According to EN 15804

Pile Weight: 635g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC1
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:



















C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:



72.1%
BS EN ISO 14021

							
marble 36101	causeway 36102	mountain 36103	imprint 36104	climate 36105	tectonic 36106	fragment 36107	terrain 36108
							
sunlit 36109	habitat 36110	uplift 36111	burnish 36112	amethyst 36113	oceanic 36114	riptide 36115	serpentine 36116




threads®

low carbon multilevel loop carpet tiles


Inspired by connecting strands of colour, tones and design creating an overall pattern suitable for a broad range of interiors.

Yarn Description:



bio-genic
recycled yarn

Carbon Status:



low carbon


Backing:



BioBase®

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified

3.90

According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

622g/m²

Achieves Class 33


LC1

Euroclass Bfl-s1

Pass - continuous use

A+ / M1


On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



73.6%

BS EN ISO 14021



threads® base blend, base yellow & rust mix



standing stones®


carbon neutral multilevel loop carpet tiles

Inspired by uncovered architectural clues from history, in an accessible colour palette of 16, making it suitable for functional and commercial interiors.

Yarn Description:

 carbon negative recycled yarn


Carbon Status:

 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.

Backing:


 BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:


 3.32
According to EN 15804

Pile Weight: 606g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC1
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:

 72.2%
BS EN ISO 14021



standing stones® neutral ground, stone circle & mystic pink

snowfall®

carbon neutral multilevel loop carpet tiles


An effortless design inspired by undulating patterns of snow and the shadows created, making it a great choice for a variety of interiors.

Yarn Description:



carbon negative recycled yarn

Carbon Status:



carbon neutral

Offset at source and independently 3rd party verified. Details available upon request.


Backing:



BioBase®

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently 3rd party verified

3.39

According to EN 15804

Pile Weight:

670g/m²

Wear Classification:

Achieves Class 33

Luxury Class Rating:

LC2

Flammability:

Euroclass Bfl-s1


Castor Chair Rating:

Pass - continuous use

Low VOCs:


A+ / M1

Yarn Certification:




C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:



72.2%

BS EN ISO 14021



snowfall® soft surface & peach frost



balance grid[®]


carbon neutral multilevel loop carpet tiles

Inspired by the pattern of intersecting city streets, **balance grid[®]** works alone or paired with the other two designs in the **balance collection[®]**.

Yarn Description:

 carbon negative
recycled yarn


Carbon Status:

 carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:


 BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:


 independently
3rd party verified 3.19
According to EN 15804

















Pile Weight: 628g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:

 73.6%
BS EN ISO 14021

							
crisp air 35405	steel effect 35406	morning harbour 35407	tower metal 35408	light neutral 35401	concrete wood 35402	glazed tone 35403	brown leaf 35404
							
highline moss 35413	dusk glow 35414	apricot beam 35415	district red 35416	aqua skyline 35409	block blue 35410	lilac view 35411	dark shadow 35412



balance grid[®] lilac view, crisp air, aqua skyline & block blue

balance ratio[®]


carbon neutral multilevel loop carpet tiles

EN
Embodies the soft and organic flow of natural elements. **balance ratio[®]** works alone or paired with the other two designs in the **balance collection[®]**.

Yarn Description:

 carbon negative recycled yarn


Carbon Status:

 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.

Backing:


 **BioBase[®]**
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:


 **independently 3rd party verified** **3.19**
According to EN 15804

















Pile Weight: 628g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:

 **73.6%**
BS EN ISO 14021

							
clean air 35505	stone effect 35506	dewy harbour 35507	city metal 35508	soft neutral 35501	shaded wood 35502	golden tone 35503	fallen leaf 35504
							
greenery moss 35513	dawn glow 35514	apricot mural 35515	vibrant red 35516	aqua vapour 35509	reflection blue 35510	lilac rush 35511	night shadow 35512



balance ratio[®] dewy harbour, aqua vapour & greenery moss

balance scale®


carbon neutral multilevel loop carpet tiles

Reflects tactile markings in man made materials and nature. **balance scale®** works alone or paired with the other two designs in the **balance collection®**.

Yarn Description:

 carbon negative recycled yarn


Carbon Status:

 carbon neutral
Offset at source and independently 3rd party verified. Details available upon request.

Backing:


 BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:


 independently 3rd party verified 3.19
According to EN 15804

Pile Weight: 628g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:

 C2C Certified Material Health Certificate™ Silver

Total Recycled Content of Product:

 73.6%
BS EN ISO 14021

							
fresh air 35605	chrome effect 35606	tranquil harbour 35607	twilight metal 35608	calm neutral 35601	smoky wood 35602	wicker tone 35603	autumn leaf 35604
							
alfresco moss 35613	sunny glow 35614	apricot shine 35615	spark red 35616	aqua space 35609	river blue 35610	lilac zone 35611	central shadow 35612




balance scale® smoky wood & apricot shine

alaska[®]

low carbon multilevel loop carpet tiles

A timeless and tactile design, inspired by the natural textures found in the Alaskan landscape. The expansive biophilic palette and luxurious rippled effect is an ideal choice for commercial interiors.

Yarn Description:



100% Econyl[®]

regenerated recyclable yarn

Carbon Status:



low carbon

Backing:



BioBase[®]

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified

3.42

According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

800g/m²

Achieves Class 33

LC2

Euroclass Bfl-s1

Pass - continuous use

A+ / M1

On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



74.7%

BS EN ISO 14021



ice
22201



ridge
22202



north
22204



moose
22205



antler
22213



husky
22209



wolf
22210



cabin
22214



maple
22215



amber
22216



wildflower
22217



alpine
22218



rapids
22219



lagoon
22220



lake
22208



creek
22207

alaska[®] rapids, alpine, lagoon, wildflower & amber



osaka®

carbon neutral multilevel loop carpet tiles


Inspired by an incredibly vibrant, futuristic, and traditional part of the world, Japan. The contrasts found in Japan inspire the range; new and old, warm and cool, urban and natural.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:




carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.34
According to EN 15804

Pile Weight: 695g/m²

Wear Classification: Achieves Class 33


Luxury Class Rating: LC2

Flammability: Euroclass Bfl-s1

Castor Chair Rating: Pass - continuous use


Low VOCs: A+ / M1

Yarn Certification:




C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:



72.3%
BS EN ISO 14021



arctic®

carbon neutral multilevel loop carpet tiles & planks


Inspired by the changing landscape of the Arctic region. Organic lines cutting through icy rock, cold water flowing down frozen mountains and glacial river rapids inspire the movement in the design.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:




carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.22
According to EN 15804

Pile Weight: 624g/m²

Wear Classification: Achieves Class 33


Luxury Class Rating: LC1

Flammability: Euroclass Bfl-s1

Castor Chair Rating: Pass - continuous use


Low VOCs: A+ / M1

Yarn Certification:















C2C Certified Material
Health Certificate™ Silver

Total Recycled Content of Product:



72.0%
BS EN ISO 14021

					
hail stone ■ 34511 ■ 34611	oslo fog ■ 34512 ■ 34612	glacial grey ■ 34504 ■ 34604	norse grey ■ 34503 ■ 34603	ice blue ■ 34506 ■ 34606	blue water ■ 34505 ■ 34605
					
seal grey ■ 34510 ■ 34610	coastal mist ■ 34508 ■ 34608	cool storm ■ 34502 ■ 34602	polar black ■ 34501 ■ 34601	moonrise blue ■ 34507 ■ 34607	marine ravine ■ 34509 ■ 34609



arctic® hail stone & norse grey

dapple®

carbon neutral multilevel loop carpet tiles


The design echoes the effect of light being filtered through trees and scattered onto the forest floor.

Yarn Description:



carbon negative
recycled yarn

Carbon Status:




carbon neutral
Offset at source and independently 3rd party
verified. Details available upon request.

Backing:



BioBase®
Recycled content BS EN ISO 14021


Global Warming Potential / kg CO₂ eq:



independently
3rd party verified
3.31
According to EN 15804


Pile Weight: 678g/m²
Wear Classification: Achieves Class 33
Luxury Class Rating: LC2
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+ / M1

Yarn Certification:




C2C Certified Material
Health Certificate™ Silver


Total Recycled Content of Product:




72.3%
BS EN ISO 14021




silver gleam
34301




cool breeze
34302




grey zephyr
34303




golden hour
34304




luminous blue
34307




midnight violet
34309




vivid navy
34308




dark nimbus
34312




spring seed
34305



airy celadon
34306



inky shade
34310




moonlit glow
34311

origin

low carbon cut pile carpet tiles

The commercial colour palette of 10 is sophisticated and refined, inspired by coastal walks and views.


Yarn Description:



100% Econyl®

regenerated recyclable yarn

Backing:



BioBase®

Recycled content BS EN ISO 14021

On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Carbon Status:



low carbon

Global Warming Potential / kg CO₂ eq:



4.66

According to EN 15804

Total Recycled Content of Product:



77.4%

BS EN ISO 14021



cloud
33201



pearl
33202



pebble
33203




shale
33204



mussle
33205



gull
33206



gorse
33207



surf
33208



wave
33209



heather
33210

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

1300g/m²

Achieves Class 33

LC5

Euroclass Bfl-s1

Pass - continuous use

A+ / M1




tivoli®

low carbon low level loop carpet tiles & planks


Comprised of tivoli® and tivoli® multiline the options for floor design are endless. With a coordinated colour palette of 40 and Class 33, this enduring collection is suitable for use in a wide variety of commercial interiors.

Yarn Description:



bio-genic recycled yarn

Carbon Status:



low carbon

tivoli® 32 options

									
dominica dawn ■ 20245 ■ 21145	antigua steel ■ 20242 ■ 21142	belize greige ■ 20208 ■ 21108	serranilla stone 20213	st lucia night ■ 20207 ■ 21107	aruba dusk ■ 20275 ■ 21175	st kitts basalt ■ 20260 ■ 21160	montserrat black 20259	tenerife black ■ 20707 ■ 21207	melanesia grey ■ 20703 ■ 21203
									
kythira blue 20265	barbados blue ■ 20220 ■ 21120	naxos breeze 20263	baltic blue 20281	nassau skies 20252	crete blue 20262	hudson bay ■ 20285 ■ 21185	key west blue ■ 20253 ■ 21153	mediterranean topaz ■ 20709 ■ 21209	great barrier blue ■ 20717 ■ 21217
									
greenland fern 20282	guyana moss ■ 20201 ■ 21101	tiki yellow ■ 20266 ■ 21166	miami aqua ■ 20267 ■ 21167	sri lanka sands ■ 20268 ■ 21168	bengal base 20283	tasmanian rock 20284	tobago sands 20246	seychelles beige ■ 20711 ■ 21211	palm green 20715
									
tropic purple ■ 20276 ■ 21176	pink paradise ■ 20277 ■ 21177	puerto rico purple 20254	pinta purple 20270	capetown clay 20278	madagascar orange ■ 20279 ■ 21179	cuban brown 20280	rio red 20273	volcanic flame 20716	hawaiian purple 20714

Pile Weight:600g/m²

Wear Classification: Achieves Class 33


Luxury Class Rating: LC2

Flammability: Euroclass Bfl-s1

Castor Chair Rating: Pass - continuous use


Low VOCs: A+ / M1

On Site Energy Generation:



100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:



74.0%
BS EN ISO 14021

tivoli® multiline 8 options




tivoli® baltic blue & hudson bay

tivoli mist[®]

low carbon low level loop carpet tiles & planks


With a design allowing for soft transitions between colours or a sleek allover pattern that mists from one to another. The colour palette of 10 provides endless possibilities for adding colour into a wide variety of interiors.

Yarn Description:



bio-genic recycled yarn

Carbon Status:



low carbon


Backing:



BioBase[®]

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



3.10

According to EN 15804

Pile Weight:

Wear Classification:

Luxury Class Rating:

Flammability:

Castor Chair Rating:

Low VOCs:

600g/m²

Achieves Class 33


LC2

Euroclass Bfl-s1

Pass - continuous use

A+ / M1


On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



74.0%

BS EN ISO 14021



bora bora
■ 33201 ■ 32906



polar drift
■ 33202 ■ 32912



galapagos bay
■ 33203 ■ 32913



shoreline sail
■ 33204 ■ 32914



waterfront wave
■ 33205 ■ 32915



turtle bay
■ 33206 ■ 32905



south beach
■ 33207 ■ 32901



sunset canyon
■ 33208 ■ 32916



hibiscus haven
■ 33209 ■ 32917



island haze
■ 33210 ■ 32918

tivoli mist[®] polar drift, sunset canyon & hibiscus haven

tivoli[®] dominica dawn, madagascan orange & pink paradise




infinity®

low carbon low level loop carpet tiles

Visual inspiration from rocks, gemstones, coastlines, and minerals help to create the individual aspect of this heavy commercial range. This specific characteristic of the tile provides excellent soil hiding properties.

Yarn Description:



100% Econyl®


regenerated recyclable yarn

Carbon Status:



low carbon

Backing:



BioBase®

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



independently
3rd party verified

2.93

According to EN 15804

Pile Weight:	550g/m ²
Wear Classification:	Achieves Class 33
Luxury Class Rating:	LC1
Flammability:	Euroclass Bfl-s1
Castor Chair Rating:	Pass - continuous use
Low VOCs:	A+ / M1

On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



73.7%

BS EN ISO 14021

							
ice mineral 34705	slate grey 34701	silver salt 34702	stone shadow 34703	sqartz sand 34706	gravel greige 34704	sepia fusion 34707	bronze brown 34705
							
ultra yellow 34713	jade layer 34714	cold cove 34712	cyan flux 34708	base blue 34709	navy element 34710	purple prism 34716	cherry shade 34715



infinity® slate grey with additional colours

go to[®]


low carbon low level loop carpet tiles

go to[®] offers two designs, sixteen plains and four stripe options. The range of colours has been increased to create this attractively practical, versatile and flexible palette.

Yarn Description:

 EgoCycle[®] 75 recycled yarn


Carbon Status:

 low carbon

Backing:

 BioBase[®]
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 **4.26**
According to EN 15804

Pile Weight: 500g/m²

Wear Classification: Achieves Class 33


Luxury Class Rating: LC1

Flammability: Euroclass Bfl-s1


Castor Chair Rating: Pass - continuous use

Low VOCs: A+ / M1

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products


Total Recycled Content of Product:

 70.0%
BS EN ISO 14021

							
jet black 21801	coal grey 21802	metal grey 21816	medium grey 21803	light grey 21817	sky blue 21810	sea blue 21806	deep blue 21822
							
moss green 21818	green 21811	purple 21821	red 21820	orange 21819	dark beige 21815	medium beige 21814	light beige 21813

go to[®]

four stripe options:

			
coal grey stripe 21902	medium grey stripe 21903	dark beige stripe 21915	sea blue stripe 21906



eco-cordiale®

carbon neutral fibre bonded carpet tiles

eco-cordiale® combines extreme durability with excellent sustainability credentials to make it the ideal choice for use in environments such as schools, colleges, and universities. Featuring an extended 44 colour palette, **eco-cordiale®** is available in both fine ribbed carpet tile and sheet, is easy to maintain and features **anti-fray** and **anti-ravel** technology.

Yarn Description:

ecofibre™
15% Regenerated Nylon, 5% Recycled Polyester

Carbon Status:

 **carbon neutral**
Offset at source and independently 3rd party verified. Details available upon request.

Technology:

 **BioBase®**
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:

 **3.69***
According to EN 15804

Pile Weight: 950g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **63.0%**
BS EN ISO 14021

								
diamond 12105	storm 12104	sky 12181	stones 12191	sagebrush 12171	sun 12188	mauve 12175	lavender 12113	aqua 12182
								
silver 12160	horizon 12119	sapphire 12162	honey 12134	fern 12172	saffron 12167	pink 12186	lilac 12174	peacock 12173
								
clouds 12103	denim 12117	atlantis 12114	sand 12178	lime 12130	tangerine 12168	rose 12176	indigo 12180	jade 12123
								
charcoal 12102	ocean 12161	ultramarine 12163	earth 12165	emerald 12183	crimson 12169	orchid 12177	violet 12184	turquoise 12122
								
ebony 12101	ink 12107	midnight 12164	electric 12166	sea 12125	paprika 12185	cherry 12170	brown 12131	




eco-cordiale® clouds, atlantis, sky, ink

academy[®]

low carbon fibre bonded carpet tiles

The extremely durable broad ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology. The palette of 24 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

Technology:



anti-fray & anti-ravel

Carbon Status:



low carbon


Backing:



BioBase[®]

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



4.45

According to EN 15804

Pile Weight:

Wear Classification:

Flammability:

Castor Chair Rating:

Low VOCs:

940g/m²


Heavy Contract

Euroclass Bfl-s1

Pass - continuous use

A+


On Site Energy Generation:



100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:



59.2%

BS EN ISO 14021

									
diamond grey 11805	grey cloud 11803	charcoal grey 11802	ebony slate 11801	storm grey 11804	honey beige 11834	sandy beige 11878	earth brown 11865	saffron yellow 11867	tangerine orange 11868
									
horizon blue 11819	denim blue 11817	ink blue 11807	midnight sky 11864	atlantis blue 11814	sapphire blue 11862	turquoise blue 11822	sage green 11871	lime green 11830	emerald green 11883
									
lilac iris 11874	dark violet 11884	purple orchid 11877	cherry red 11870						




academy[®] diamond grey, lime green, emerald green, atlantis blue

lateral[®]

low carbon fibre bonded carpet tiles

With an innovative textured appearance and durable composition lateral[®] is the ideal product offering across the education, leisure, commercial and public sectors.


Technology:

 anti-fray & anti-ravel


Backing:

 **BioBase[®]**
Recycled content BS EN ISO 14021


On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:

 **4.42**
According to EN 15804

Total Recycled Content of Product:

 **58.9%**
BS EN ISO 14021

					
soap stone 1834	pewter cloud 1891	diamond dust 1805	concrete jungle 1803	zinc asphalt 1802	carbon steel 1801
					
ink stone 1809	blue monday 1814	lavender oil 1813	purple emperor 1890	pink diamond 1886	indigo snake 1812
					
turquoise mountain 1882	emerald coast 1883	lime street 1830	gold quest 1887	mandarin duck 1839	scarlet runner 1845

Pile Weight:	950g/m ²
Wear Classification:	Heavy Contract
Flammability:	Euroclass Bfl-s1
Castor Chair Rating:	Pass - continuous use
Low VOCs:	A+




lateral[®] pewter cloud, concrete jungle & lime street

code

low carbon fibre bonded carpet tiles

code is a hardwearing, structure bonded® carpet tile design, using contrasting stripes of colour and texture for a strong defined look.

Technology:



anti-fray & anti-ravel

Carbon Status:




low carbon

Backing:



BioBase®
Recycled content BS EN ISO 14021


Global Warming Potential / kg CO₂ eq:



5.32
According to EN 15804


Pile Weight: 1000g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:



100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:



56.3%
BS EN ISO 14021

 <p>cool stone 12912</p>	 <p>pewter track 12926</p>	 <p>diamond coal 12930</p>	 <p>metal shock 12906</p>	 <p>night suede 12928</p>	 <p>pitch black 12929</p>
 <p>ink film 12923</p>	 <p>blue reef 12927</p>	 <p>lavender seed 12924</p>	 <p>deep purple 12920</p>	 <p>pink panther 12916</p>	 <p>indigo stack 12931</p>
 <p>turquoise opal 12922</p>	 <p>emerald city 12925</p>	 <p>lime zest 12902</p>	 <p>rolled gold 12918</p>	 <p>sun burst 12901</p>	 <p>scarlet fever 12904</p>





code diamond coal with lime zest, rolled gold & sun burst

velour excel


low carbon fibre bonded carpet tiles

velour excel presents a luxurious, velour carpet tile suitable for use within the heavy contract market. The premium blend of solution dyed fibres ensures velour excel is ideal for use in both commercial and public buildings.


Technology:
 withstands heavy foot trafic


Carbon Status:
 low carbon

Backing:
 BioBase®
Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:
 independently 3rd party verified 5.24
According to EN 15804

Pile Weight: 1200g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:
 100% renewable energy
used to create all Burmatex products

Total Recycled Content of Product:
 51.9%
BS EN ISO 14021

					
bavarian blue 6081	barona blue 6060	iceni blue 6023	saxon blue 6028	spartan mauve 6056	sky dancer 6061
					
mayan sky 6082	trojan green 6045	norse green 6083	phoenician green 6036	dorian azure 6055	assyrian jade 6022
					
red lake 6062	persian purple 6090	navajo mauve 6066	norman steel 6050	armenian grey 6040	yakama slate 6070



eco-cordiale®

carbon neutral fibre bonded carpet sheet

eco-cordiale® combines extreme durability with excellent sustainability credentials to make it the ideal choice for use in environments such as schools, colleges, and universities. Featuring an extended 44 colour palette, eco-cordiale® is available in both fine ribbed carpet tile and sheet, is easy to maintain and features anti-fray and anti-ravel technology.


Yarn Description:

ecofibre™
15% Regenerated Nylon, 5% Recycled Polyester

Carbon Status:

 **carbon neutral**
Offset at source and independently 3rd party verified. Details available upon request.

Technology:

 anti-fray & anti-ravel

Global Warming Potential / kg CO₂ eq:

 **independently 3rd party verified** **3.13***
According to EN 15804

Total Weight: 950g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **18.3%**
BS EN ISO 14021

								
diamond 12005	storm 12004	sky 12081	stones 12091	sagebrush 12071	sun 12088	mauve 12075	lavender 12013	aqua 12082
								
silver 12060	horizon 12019	sapphire 12062	honey 12034	fern 12072	saffron 12067	pink 12086	lilac 12074	peacock 12073
								
clouds 12003	denim 12017	atlantis 12014	sand 12078	lime 12030	tangerine 12068	rose 12076	indigo 12080	jade 12023
								
charcoal 12002	ocean 12061	ultramarine 12063	earth 12065	emerald 12083	crimson 12069	orchid 12077	violet 12084	turquoise 12022
								
ebony 12001	ink 12007	midnight 12064	electric 12066	sea 12025	paprika 12085	cherry 12070	brown 12031	



academy[®]

low carbon fibre bonded carpet sheet

The extremely durable broad ribbed carpet, available in tile or sheet making it easy to maintain, and features anti-fray and anti-ravel technology. The palette of 24 colours is an ideal choice for use in schools, colleges and universities, perfect for heavy footfall environments.

Technology:

anti-fray & anti-ravel

Carbon Status:

low carbon

Technology:

withstands heavy foot trafic

Global Warming Potential / kg CO₂ eq:

independently
3rd party verified

3.26

According to EN 15804

Total Weight:

940g/m²

Wear Classification:

Heavy Contract

Flammability:

Euroclass Bfl-s1

Castor Chair Rating:

Pass - continuous use

Low VOCs:

A+

On Site Energy Generation:

100% renewable energy

used to create all Burmatex products

Total Recycled Content of Product:

3.7%

BS EN ISO 14021

									
diamond grey 11505	grey cloud 11503	charcoal grey 11502	ebony slate 11501	storm grey 11504	honey beige 11534	sandy beige 11578	earth brown 11565	saffron yellow 11567	tangerine orange 11568
									
horizon blue 11519	denim blue 11517	ink blue 11507	midnight sky 11564	atlantis bule 11514	sapphire blue 11562	turquoise blue 11522	sage green 11571	lime green 11530	emerald green 11583
									
lilac iris 11574	dark violet 11584	purple orchid 11577	cherry red 11570						



5500 luxury

low carbon fibre bonded carpet sheet

5500 luxury is constructed from a high performance mix of solution dyed fibres. With a soft, velour effect this fibre bonded sheet carpet is ideal for commercial interiors requiring heavy footfall solutions.

Technology:

 withstands heavy foot traffic

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:

 **4.44**
According to EN 15804

Total Weight: 1150g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Dfl-s1
Castor Chair Rating: Pass - continuous use
Low VOCs: A+

On Site Energy Generation:

 **100% renewable energy**
used to create all Burmatex products

Total Recycled Content of Product:

 **10.0%**
BS EN ISO 14021

					
bavarian blue 0981	barona blue 0960	iceni blue 0923	saxon blue 0928	spartan mauve 0956	sky dancer 0961
					
mayan sky 0982	trojan green 0945	norse green 0983	phoenician green 0936	dorian azure 0955	assyrian jade 0922
					
red lake 0962	persian purple 0990	navajo mauve 0966	norman steel 0950	armenian grey 0940	yakama slate 0970




armour

low carbon performance barrier carpet tiles


armour uses the latest yarn technology to maximise moisture absorption, actively scrape away dirt, and provide heavy duty performance.

Technology:



protects interior flooring finishes

Carbon Status:



low carbon


Backing:



BioBase®

Recycled content BS EN ISO 14021

Global Warming Potential / kg CO₂ eq:



Independently
3rd party verified

3.70

According to EN 15804

Pile Weight:

920g/m²

Wear Classification:

Achieves Class 33

Luxury Class Rating:

LC3

Flammability:

Euroclass Bfl-s1


Castor Chair Rating:

Pass - continuous use

Low VOCs:

A+ / M1


On Site Energy Generation:



100% renewable energy


used to create all Burmatex products

Total Recycled Content of Product:




75.4%


BS EN ISO 14021




graphite
18701




graphite stripe
18702




sterling
18704



sterling stripe
18705



cobalt
18707



cobalt stripe
18708

armour diamond coal with lime zest, rolled gold & sun burst

entrance matting

low carbon carpet tiles

This hardwearing fibre bonded carpet tile is suitable for high footfall entrances which lead directly from outside environments.

Technology:

 protects interior flooring finishes

Backing:

 **BioBase®**
Recycled content BS EN ISO 14021

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:


 **Independently
3rd party verified** 5.34
According to EN 15804

Total Recycled Content of Product:


 43.2%
BS EN ISO 14021

chevrolay 50


low carbon entrance matting carpet tiles




alpha grey
6240




beta blue
6228



gamma green
6236




kappa fawn
6246




theta brown
6239

grimebuster 50


low carbon entrance matting carpet tiles




newmarket grey
1640




haydock blue
1628



curragh green
1636



wincanton fawn
1646



goodwood brown
1639

Pile Weight: 1490g/m²
Wear Classification: Heavy Contract
Flammability: Euroclass Bfl-s1



grimebuster 50 newmarket grey

entrance matting


low carbon carpet sheet

This extremely durable fibre bonded carpet sheet is able to withstand heavy foot traffic as well as creating an effective barrier against dirt and wear.

Technology:

 protects interior flooring finishes

Suitable For:

 withstands heavy foot trafic

On Site Energy Generation:

 100% renewable energy
used to create all Burmatex products

Carbon Status:

 low carbon

Global Warming Potential / kg CO₂ eq:


 **Independently
3rd party verified** 4.57
According to EN 15804

Total Recycled Content of Product:

 0%
BS EN ISO 14021


7800 chevrolay

low carbon entrance matting carpet sheet



7700 grimebuster

low carbon entrance matting carpet sheet



7700 grimebuster grey

technical specification

Product Type	Name	Number of Colours	Carbon Status	Yarn Description	Pile Weight g/m²	Total Weight gms	Pile Height mm	Tufts per m²	Backing	Wear Classification	Reduction in Impact Noise	Flammability	Castor Chair Rating	Body Voltage Test	Colour Fastness To Light
Multilevel Loop	rocklines®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	635	4032	7	226771	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	threads®	12	Low carbon	EqoBalance® 100% recycled bio-genic yarn	622	4022	7	226771	BioBase®	Class 33	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	standing stones®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	606	4100	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	snowfall®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	670	4040	4.5	226771	BioBase®	Class 33	25dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance grid®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance ratio®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	balance scale®	16	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	628	4028	4.5	226771	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	alaska®	16	Low carbon	100% Econyl regenerated recycled solution dyed nylon	800	4200	5	226771	BioBase®	Class 33	22dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	osaka®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	695	4100	5	226771	BioBase®	Class 33	28dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	arctic®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	624	4024	4.5	226771	BioBase®	Class 33	26dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Multilevel Loop	dapple®	12	Carbon neutral*	Universal Fibers® Thrive® matter carbon negative recycled yarn	678	4100	5.2	236220	BioBase®	Class 33	24dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Cut Pile	origin	10	Low carbon	100% Econyl regenerated recycled solution dyed nylon	1300	4550	7	165354	BioBase®	Class 33	28dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	tivoli®	40	Low carbon	EqoBalance® 100% recycled bio-genic yarn	600	4050	4	196500	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	tivoli mist®	10	Low carbon	EqoBalance® 100% recycled bio-genic yarn	600	4050	4	196500	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	infinity®	16	Low carbon	100% Econyl regenerated recycled solution dyed nylon	550	4000	4	177165	BioBase®	Class 33	23dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Low Level Loop	go to®	20	Low carbon	EqoCycle® 75 recycled solution dyed nylon	500	3810	3	196850	BioBase®	Class 33	20dB	Bfl-s1	Pass	<2kV	Minimum Grade 6

* Made from Universal Fibers® Thrive® matter yarn, the world's first carbon negative recycled yarn, and our unique BioBase® recycled backing

technical specification

Product Type	Name	Number of Colours	Carbon Status	Yarn Description	Pile Weight g/m²	Total Weight gms	Pile Height mm	Tufts per m²	Backing	Wear Classification	Reduction in Impact Noise	Flammability	Castor Chair Rating	Body Voltage Test	Colour Fastness To Light
Fibre Bonded Tile	eco-cordiale	44	Low carbon	75% Polypropylene 15% Regenerated Nylon 10% Recycled Polyester	-	4200	6	-	BioBase®	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 9
Fibre Bonded Tile	academy®	24	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	4050	5.5	-	BioBase®	Heavy Contract	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 10
Structure Bonded Tile	lateral®	18	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	4200	6	-	BioBase®	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 12
Stucture Bonded Tile	code	18	Low carbon	85% Polypropylene 15% Nylon	-	4250	6	-	BioBase®	Heavy Contract	17dB	Bfl-s1	Pass	<2kV	Minimum Grade 13
Fibre Bonded Tile	velour excel	18	Low carbon	85% Polypropylene 15% Nylon	-	4090	8	-	BioBase®	Heavy Contract	21dB	Bfl-s1	Pass	<2kV	Minimum Grade 11
Fibre Bonded Sheet	eco-cordiale sheet	44	Low carbon	75% Polypropylene 15% Regenerated Nylon 10% Recycled Polyester	-	950	6	-	-	Heavy Contract	18dB	Bfl-s1	Pass	<2kV	Minimum Grade 6
Fibre Bonded Sheet	academy® sheet	24	Low carbon	80% Polypropylene 15% Nylon 5% Recycled Polyester	-	940	5.5	-	-	Heavy Contract	19dB	Bfl-s1	Pass	<2kV	Minimum Grade 7
Fibre Bonded Sheet	5500 luxury	18	Low carbon	85% Polypropylene 15% Nylon	-	1150	8	-	-	Heavy Contract	21dB	Dfl-s1	Pass	<2kV	Minimum Grade 8
Performance Barrier	armour	6	Low carbon	100% Econyl® regenerated solution dyed nylon	920	4500	7.5	110236	BioBase®	Class 33	-	Bfl-s1	Pass	<2kV	Minimum Grade 6
Entrance Matting Tile	chevolay 50	5	Low carbon	100% Polypropylene	-	4300	10	-	BioBase®	Heavy Contract	Not tested	Bfl-s1	Pass	<2kV	Minimum Grade 16
Entrance Matting Tile	grimebuster 50	5	Low carbon	100% Polypropylene	-	4300	10	-	BioBase®	Heavy Contract	Not tested	Bfl-s1	Pass	<2kV	Minimum Grade 17
Entrance Matting Sheet	7800 chevolay	5	Low carbon	100% Polypropylene	-	1490	10	-	-	Heavy Contract	Not tested	Dfl-s1	Pass	<2kV	Minimum Grade 15
Entrance Matting Sheet	7700 grimebuster	5	Low carbon	100% Polypropylene	-	1490	10	-	-	Heavy Contract	Not tested	Dfl-s1	Pass	<2kV	Minimum Grade 14

Head Office

Victoria Mills, The Green
Ossett
West Yorkshire
WF5 0AN
United Kingdom

Tel: +44 (0) 1924 262525
Email: projects@burmatex.co.uk

www.burmatex.co.uk

Issue: July 2025